

## Index

Title	Page
Gas Tools and Accessories	2
Gas Valves	3
Gas Connectors	4
Terms	9

## Gas Tools and Accessories



PART #	TUBE SIZE	DESCRIPTION	MIN. QTY.	CASE QTY
PFMR-3253L	1/2"	Maxitrol Regulator (LP)	1	1
PFMR-3253N	1/2"	Maxitrol Regulator (Natural Gas)	1	1
PFMR-3255L	3/4"	Maxitrol Regulator (LP)	1	1
PFMR-3255N	3/4"	Maxitrol Regulator (Natural Gas)	1	1
PFRG2-0212L	1/2"	OARA Regulator (LP)	1	1
PFRG2-0212N	1/2"	OARA Regulator (Nat. Gas)	1	1
PFRG2-0234L	3/4"	OARA Regulator (LP)	1	1
PFRG2-0234N	3/4"	OARA Regulator (Nat. Gas)	1	1
PFBBQ-2016	1/2"	Stainless Steel Grill Convenience Outlet Kit NG or LP - 1/2" FIP inlet w/ connector [3/8" ID x 3/8" Male QD Plug x 3/8" Flare Swivel x 10"]	1	1
PFTG-B1230C	1/2"	0-30 PSI - Bell Reducer	6	6
PFTG-B1260C	1/2"	0-60 PSI - Bell Reducer	6	6
PFTG-B3430C	3/4"	0-30 PSI - Bell Reducer	6	6
PFTG-B3460C	3/4"	0-60 PSI - Bell Reducer	6	6
PFTG-B34100C	3/4"	0-100 PSI - Bell Reducer	6	6
PFTG-B01100C	1"	0-100 PSI - Bell Reducer	6	6
PFTG-B0130C	1"	0-30 PSI - Bell Reducer	6	6



PART #	TUBE SIZE	DESCRIPTION	MIN. QTY.	CASE QTY
PFTG-B0160C	1"	0-60 PSI - Bell Reducer	6	6
PFTG-H1230C	1/2"	0-30 PSI - Chrome Hex	6	6
PFTG-H1260C	1/2"	0-60 PSI - Chrome Hex	6	6
PFTG-H3430C	3/4"	0-30 PSI - Chrome Hex	6	6
PFTG-H3460C	3/4"	0-60 PSI - Chrome Hex	6	6
PFTG-H0130C	1"	0-30 PSI - Chrome Hex	6	6
PFTG-H0160C	1"	0-60 PSI - Chrome Hex	6	6

## Gas Valves



PART #	DESCRIPTION	MIN. QTY.	CASE QTY
PFGV-F38C	Valve 3/8" FIP x FIP	5	5
PFGV-F12C	Valve 1/2" FIP x FIP	5	5
PFGVO-F12C	Valve 1/2" FIP x FIP (one piece)	5	5
PFAV-F12	Angle Valve 1/2" FIP x FIP	10	10
PFGVO-F34C	Valve 3/4" FIP x FIP	5	5
PFAV-F34	Angle Valve 3/4" FIP x FIP	10	10
PFGV-F12Q	Valve 1/2" FIP x FIP w/ square handle	10	10



PART #	DESCRIPTION	MIN. QTY.	CASE QTY
PFGV-FI2S	Valve 1/2" FIP x FIP w/ side port	10	10
PFGV-F34S	Valve 3/4" FIP x FIP w/ side port	10	10
PFGV-F01TC	Valve 1" FIP x FIP tee valve	3	3
PFGVO-FFL12C	Valve 1/2" FIP x 1/2" Flare (one piece)	5	5
PFGVO-FFL120916	Valve 1/2" FIP x 9/16" Flare (one piece)	10	10
PFGV-FFL121516C	Valve 1/2" FIP x 15/16" Flare -For use with 1/2" ID appliance connectors	5	5
PFGV-FFL3458C	Valve 3/4" FIP x 5/8" Flare	5	5
PFGV-FFL341516C	Valve 3/4" FIP x 15/16" Flare For use with 1/2" ID appliance connectors	5	5
PFGVO-FFL1238C	Valve 1/2" FIP x 3/8" Flare (one piece)	5	5
PFGV-FL38	Valve 3/8" Flare x Flare	10	10
PFGV-FL12C	Valve 1/2" Flare x Flare	5	5
PFGV-FL12S	Valve 1/2" Flare x Flare w/ side port	10	10
PFGV-FL58	Valve 5/8" Flare x Flare	10	10

## Gas Connectors



PART #	TUBE SIZE	DESCRIPTION	MIN. QTY.	CASE QTY
PFAC-14K-22-18	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 18" long-Black	25	25



PART #	TUBE SIZE	DESCRIPTION	MIN. QTY.	CASE QTY
PFAC-14K-22-24	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 24" long-Black	25	25
PFAC-14K-22-36	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 36" long-Black	25	25
PFAC-38K-22-18	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 18" long-Black	25	25
PFAC-38K-22-24	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 24" long-Black	25	25
PFAC-38K-22-36	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 36" long-Black	25	25
PFAC-14C-12-12	1/4" ID (3/8 OD)	3/8" MIP x 1/2" MIP / 3/8" FIP x 12" long-Yellow	25	25
PFAC-14C-12-18	1/4" ID (3/8 OD)	3/8" MIP x 1/2" MIP / 3/8" FIP x 18" long-Yellow	25	25
PFAC-14C-12-24	1/4" ID (3/8 OD)	3/8" MIP x 1/2" MIP / 3/8" FIP x 24" long-Yellow	25	25
PFAC-14C-12-30	1/4" ID (3/8 OD)	3/8" MIP x 1/2" MIP / 3/8" FIP x 30" long-Yellow	25	25
PFAC-14C-12-36	1/4" ID (3/8 OD)	3/8" MIP x 1/2" MIP / 3/8" FIP x 36" long-Yellow	25	25
PFAC-14C-12-48	1/4" ID (3/8 OD)	3/8" MIP x 1/2" MIP / 3/8" FIP x 48" long-Yellow	25	25
PFAC-14C-22-12	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 12" long-Yellow	25	25
PFAC-14C-22-18	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 18" long-Yellow	25	25
PFAC-14C-22-24	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 24" long-Yellow	25	25
PFAC-14C-22-30	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 30" long-Yellow	25	25
PFAC-14C-22-36	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 36" long-Yellow	25	25
PFAC-14C-22-48	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 48" long-Yellow	25	25
PFAC-14C-25-12	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" FIP x 12" long-Yellow	25	25
PFAC-14C-25-18	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" FIP x 18" long-Yellow	25	25
PFAC-14C-25-24	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" FIP x 24" long-Yellow	25	25
PFAC-14C-25-30	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" FIP x 30" long-Yellow	25	25
PFAC-14C-25-36	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" FIP x 36" long-Yellow	25	25



**PRO-FLEX**  
CSST

**HEARTHMASTER**

PART #	TUBE SIZE	DESCRIPTION	MIN. QTY.	CASE QTY
PFAC-14C-25-48	1/4" ID (3/8 OD)	1/2" MIP / 3/8" FIP x 1/2" FIP x 48" long-Yellow	25	25
PFAC-38C-12-12	3/8" ID (1/2 OD)	3/8" MIP x 1/2" MIP / 3/8" FIP x 12" long-Yellow	25	25
PFAC-38C-12-18	3/8" ID (1/2 OD)	3/8" MIP x 1/2" MIP / 3/8" FIP x 18" long-Yellow	25	25
PFAC-38C-12-24	3/8" ID (1/2 OD)	3/8" MIP x 1/2" MIP / 3/8" FIP x 24" long-Yellow	25	25
PFAC-38C-12-30	3/8" ID (1/2 OD)	3/8" MIP x 1/2" MIP / 3/8" FIP x 30" long-Yellow	25	25
PFAC-38C-12-36	3/8" ID (1/2 OD)	3/8" MIP x 1/2" MIP / 3/8" FIP x 36" long-Yellow	25	25
PFAC-38C-12-48	3/8" ID (1/2 OD)	3/8" MIP x 1/2" MIP / 3/8" FIP x 48" long-Yellow	25	25
PFAC-38C-12-60	3/8" ID (1/2 OD)	3/8" MIP x 1/2" MIP / 3/8" FIP x 60" long-Yellow	12	12
PFAC-38C-12-72	3/8" ID (1/2 OD)	3/8" MIP x 1/2" MIP / 3/8" FIP x 72" long-Yellow	12	12
PFAC-38C-22-12	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 12" long-Yellow	25	25
PFAC-38C-22-18	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 18" long-Yellow	25	25
PFAC-38C-22-24	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 24" long-Yellow	25	25
PFAC-38C-22-30	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 30" long-Yellow	25	25
PFAC-38C-22-36	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 36" long-Yellow	25	25
PFAC-38C-22-48	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 48" long-Yellow	25	25
PFAC-38C-22-60	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 60" long-Yellow	12	12
PFAC-38C-22-72	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 72" long-Yellow	12	12
PFAC-38C-25-12	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" FIP x 12" long-Yellow	25	25
PFAC-38C-25-18	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" FIP x 18" long-Yellow	25	25
PFAC-38C-25-24	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" FIP x 24" long-Yellow	25	25
PFAC-38C-25-30	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" FIP x 30" long-Yellow	25	25
PFAC-38C-25-36	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" FIP x 36" long-Yellow	25	25



PART #	TUBE SIZE	DESCRIPTION	MIN. QTY.	CASE QTY
PFAC-38C-25-48	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" FIP x 48" long-Yellow	25	25
PFAC-38C-25-60	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" FIP x 60" long-Yellow	12	12
PFAC-38C-25-72	3/8" ID (1/2 OD)	1/2" MIP / 3/8" FIP x 1/2" FIP x 72" long-Yellow	12	12
PFAC-12C-22-12	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 12" long-Yellow	25	25
PFAC-12C-22-18	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 18" long-Yellow	25	25
PFAC-12C-22-24	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 24" long-Yellow	25	25
PFAC-12C-22-30	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 30" long-Yellow	25	25
PFAC-12C-22-36	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 36" long-Yellow	25	25
PFAC-12C-22-48	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 48" long-Yellow	25	25
PFAC-12C-22-60	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 60" long-Yellow	12	12
PFAC-12C-22-72	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 1/2" MIP / 3/8" FIP x 72" long-Yellow	12	12
PFAC-12C-23-12	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 12" long-Yellow	25	25
PFAC-12C-23-18	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 18" long-Yellow	25	25
PFAC-12C-23-24	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 24" long-Yellow	25	25
PFAC-12C-23-30	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 30" long-Yellow	25	25
PFAC-12C-23-36	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 36" long-Yellow	25	25
PFAC-12C-23-48	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 48" long-Yellow	25	25
PFAC-12C-23-60	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 60" long-Yellow	12	12
PFAC-12C-23-72	1/2" ID (5/8 OD)	1/2" MIP / 3/8" FIP x 3/4" MIP / 1/2" FIP x 72" long-Yellow	12	12
PFAC-12C-34-12	1/2" ID (5/8 OD)	3/4" MIP / 1/2" FIP x 3/4" FIP x 12" long-Yellow	25	25
PFAC-12C-34-18	1/2" ID (5/8 OD)	3/4" MIP / 1/2" FIP x 3/4" FIP x 18" long-Yellow	25	25
PFAC-12C-34-24	1/2" ID (5/8 OD)	3/4" MIP / 1/2" FIP x 3/4" FIP x 24" long-Yellow	25	25



**PRO-FLEX**  
CSST

**HEARTHMASTER**

PART #	TUBE SIZE	DESCRIPTION	MIN. QTY.	CASE QTY
PFAC-12C-34-30	1/2" ID (5/8 OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 12" long-Yellow	25	25
PFAC-12C-34-36	1/2" ID (5/8 OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 12" long-Yellow	25	25
PFAC-12C-34-48	1/2" ID (5/8 OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 12" long-Yellow	25	25
PFAC-12C-34-60	1/2" ID (5/8 OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 12" long-Yellow	12	12
PFAC-12C-34-72	1/2" ID (5/8 OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 12" long-Yellow	12	12
PFAC-12C-24-48	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 3/4" FIP x 48" long-Yellow	25	25
PFAC-12C-24-60	1/2" ID (5/8 OD)	1/2"MIP / 3/8" FIP x 3/4" FIP x 60" long-Yellow	12	12
PFAC-34C-34-18	3/4" ID (7/8" OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 18" long-Yellow	25	25
PFAC-34C-34-24	3/4" ID (7/8" OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 24" long-Yellow	25	25
PFAC-34C-34-36	3/4" ID (7/8" OD)	3/4"MIP / 1/2" FIP x 3/4" FIP x 36" long-Yellow	25	25





## General Conditions & Limitations

The obligation of Pro-Flex™, LLC pursuant to the warranty is limited, at Pro-Flex's discretion, to: (a) making a replacement component part available, (b) the repair of the defective component part, or (c) the refund of the purchase price. Pro-Flex™ shall have no obligation for the furnishing of any labor involved or connected therewith such as the labor required to diagnose trouble or to remove or install any such product, nor does it include responsibility for any transportation expenses, or any damages or losses incurred in the transportation in connection therewith.

Pro-Flex™ shall in no event be liable for other losses, damages, costs, or expenses claimed by anyone, whether direct or indirect, and whether arising in contract or tort, including loss from failure of the product to operate for any period of time, and all other direct, indirect, special, incidental or consequential damages, including all personal injury and property damage.

The forgoing limited warranty is in lieu of all other warranties by Pro-Flex™, LLC, express, statutory, or implied by law. Without limiting the generality of the foregoing, Pro-Flex™ makes no warranty of merchantability or fitness of the product for any particular purpose. Pro-Flex™ neither assumes nor authorizes any person to assume Pro-Flex™ any other obligation with the sale of the hereinabove referenced product.

All invoices will be dated the day of the shipment. Invoice terms are noted on the New Vendor Information Sheet, F.O.B. Hillsboro, IN or else otherwise stated. Please pay from the invoice – no monthly statement will be sent. Minimum order requirement of \$100.00 net. Less than minimum orders subject to a \$25.00 service charge.

## Returned Goods Policy

- All shipments returned to Pro-Flex™ must have prior approval from the Sales Department.
- A Return Merchandise Authorization number (RMA) will be assigned.
- A 25% restocking charge will be applied on authorized returned product.
- Return Freight must be pre-Paid.
- Material being returned must be in full-case quantities.
- Original Purchase Order, or corresponding numbers, must be referenced.
- Original purchase must have been within one year of RMA request.
- Mark Return with RMA number to assure proper account is credited.
- Return to: Pro-Flex, LLC, 501 S. State Road 341, Hillsboro, IN 47949
- Material must be received within 30 days of RMA issue date.
- Credit to be issued for Future Purchases, meaning we will not accept any short-paid invoices.



## Limited Warranty

Subject to the terms and conditions contained in this Limited Warranty, Pro-Flex, LLC, warrants to the original purchaser of Pro-Flex™ Gas Piping System that such product will be free from any defect in material and workmanship for a period of one (1) year from the date of installation. Should any such defects be discovered within one (1) year from the date of installation by a Pro-Flex Qualified Installer the product in question shall be returned to Pro-Flex, LLC at: 501 S. State Road 341, Hillsboro, IN 47949, 877-798-6291. If upon inspection Pro-Flex, LLC determines the part to be defective in material or workmanship, then Pro-Flex, LLC will furnish a replacement, or at its option, repair the defective part. This warranty does not include the cost of labor for removing and replacing or repairing the defective part nor does it cover the cost of transporting the materials.

This warranty shall not apply to any component part of the gas piping system product if it has been installed, altered, modified, repaired or misused, through negligence or otherwise, in a way that in the opinion of Pro-Flex, LLC affects the reliability of, or detracts from the performance of the product. This limited warranty does not cover defects or damage resulting from abuse, neglect, lack of reasonable care, modification or attachment of improper components or devices to this product. Nor does this limited warranty cover replacements or repairs necessitated by loss or damage resulting from any cause beyond the control of Pro-Flex, LLC including, but not limited to acts of God, acts of government, floods, and fires.

---

## Ordering Information

To place an order please contact our experienced and professional customer service team:

**PHONE:** 765-798-6137

**EMAIL:** ProFlexTech@ProFlexCSST.com

**Click to Submit an Itemized RFQ**

If you cannot find what you need or require a custom part, simply call and speak to one of our experts. They will be able to walk you through the ordering process quickly and professionally.